

KARNAF

שוצמה בלתי ניתנת לעצירה



FIGHTTECH
Engineering



KARNAF - עוצמה בלתי ניתנת לעצירה

פייטק גאה להציג את אחד מרכבי השטח החזקים והמרשימים בעולם. רכב סקטי בלתי ניתן לעצירה, בעל יכולת עבירות מקסימלית, שממשיך לדהור קדימה במקומות בהם רכבים מקטגוריות דומות נעצרים בהם: שטחים בוציים, יערות סבוכים, אדמת טרשים, טיפוס בעליות תלולות וירידה בזוויות חדות.

בזכות משקלו הקל, הקרנף אינו מאט גם כאשר מעמיסים עליו מטען כבד וממשיך להפגין ביצועים מרשימים ויכולת עבירות מעוררת השתאות.

יכולותיו הייחודיות של הקרנף הופכות אותו לרכב אידאלי לשימוש במדינות בהן תנאי השטח קשים במיוחד כגון: מדינות אפריקה, דרום אמריקה ומזרח אסיה והוא מותאם במיוחד לשילוב במערכות שיטור מקומיות, ולשמירה על מתחמים מוגנים.


הקרנף פותח על ידי נבחרת מומחים ישראלית שחברה יחד במטרה לייצר את אחד הרכבים העוצמתיים בתעשייה. הנבחרת כללה אנשי שטח מוטורי, צוות מיוחד המתמחה במיגון ובדיגום רכבים וצוות הנדסי מהשורה הראשונה. פייטק מזמינה אתכם להצטרף לחברות אבטחה מובילות ולתעשיות ביטחוניות ברחבי העולם שנהנות מהעוצמה הבלתי ניתנת לעצירה של הקרנף.





נתונים טכניים

- מנוע דיזל הספק 380HP
- מנוע בנדין הספק 430HP
- משקל כולל 5,520
- מס' נוסעים 6 / 5
- נפח מנוע בנדין L 6.2
- נפח מנוע דיזל L 6.7



SPECIFICATION

1	Crew	value	description
	comfort	5	3 front + 3 rear 6 comfort
2	weights	value	description
	curb weight	2920 Kg	Including spear wheel & fuel
	payload	1600 Kg	
	GVW	4520 Kg	
3	Dimensions	value	description
	width	213 cm	
	length	495 cm	
	height	208 cm	
	wheel base	333 cm	
4	Tactical performance	value	description
	Approach angle	97 Deg	
	Departure angle	80 Deg	67 Deg with spear wheel
	Ground clearance	280 mm	Under Axle
	Ground clearance	550 mm	Under belly
	side slope	60%	
	climbing slope	100%	
	step climbing	630 mm	
	fording	1000	Water Crossing
	ditch crossing	750 mm	
	fuel tank(standard)	150L	
5	Engines	value	description
	fuel type	Diesel	gasoline
	Volume	6.7 L	6.2
	Cylinder	V8	V8
	Power	330HP/380HP/450HP	430HP
6	Transfer Case	value	description
	Model	241C	Borg Warner
7	Axels	value	description
	Front Axel	Dana 60	
	Rear Axel	Ford 10.5"	Differential Lock
8	Suspension	value	description
	Front shocks	King size	Dual coil over
	Rear shocks	King size	Dual coil over
	Front wheel Travel	280mm	
	Rear wheel travel	320mm	
9	Braking system	value	description
	front	Disc	Dual piston Calipers
	rear	Disc	Dual piston Calipers
	parking	Mechanical	Integrated in Rear Caliper
10	Wheels	value	description
	tires	37X12.5R18	
	Rims	18	Steel
11	Electrical system	value	description
	Voltage	12V	
12	Safety	value	description
	Front seatbelt	3 point	
	Rear seatbelts	3 point	
	Roll over protection	Welded	Integrated in chassis
	Air bag	D.S	P.S



FIGHTECH
Engineering

רח' הרותם 13, אזור תעשייה בר-לב
 משרד: 04-8877797 פקס: 04-8877790
 guy@fightech.co.il 052-5585857
 www.fightech.co.il office@fightech.co.il